

Address: NO.369, Xuetian Rd., Wuri Dist.,
 Taichung City 414, Taiwan(R.O.C.)

• TEL: 886-4-23360588

• FAX: 886-4-23367399

• E-MAIL: MK.MANKUNG@MSA.HINET.NET

© Copyright 2024 Man Kung Enterprise Co., Ltd.







Established in 1988, the Man Kung Company is dedicated to the design and manufacture of a wide range of crossbows, knives and related products.

Man Kung is specialized in crossbow, archery bow, toy archery, slingshot, blowgun, baton, and other bow accessories. We have always been dedicated to the research and development of new products to meet current market demands. Man Kung's outstanding quality has won us a high reputation from both domestic and international customers. Man Kung's permanent makeup supply has obtained diverse certifications, welcome to contact them for more permanent makeup supply specifications.

OEM or ODM orders are welcome and Man Kung would be your best partner in the future.



Man kung is proud to continue to develop the most powerful and durable crossbow. Our compound bows have been tested many times and have high quality in durability.

We have professional team of designers make the innovative thoughts happen and the qualified technology present, and it all serves as our glory and mission.

Our new product in 2024 will provide a lighter and simpler appearance and faster-shooting speed so that users can have a better shooting experience.

Quality

Major principles:

Our products are of the best quality, we set the highest standards for ourselves. We encourage our employees who set the goal of improving the quality of their work. We respect any opinions on the quality of our products.



CONTINUE

Our products have already been sold to many different countries. We have created a well-known brand image and provided the best service. In addition, we will continue to offer a variety of options to our customers around the world.





CROSSBOWS

IEW	MK-XB63	11-12
IEW	MK-XB68	13-14
IEW	MK-XB70	15-16
	MK-XB65	17-18
	MK-XB62	19-20
	MK-XB60	21-22
	MK-XB58	23
	MK-XB56	24
	MK-XB52	25
	MK-XB27	26
	MK-XB23	27
	MK-XB21	28
	MK-185	29-30
	MK-150A1	31-32
	MK-TCS1	33
	MK-TCS2	34
	MK-50A2/5PL,MK-50A1/5PL	<i>35</i>
	MK-80A4AL,MK-80A4PL	36
	ACCESSORIES	37-40
	QUIVER	41-42

ARCHERY BOWS

NEW	MK-CBA7	43-44
NEW	MK-CB60	45-46
NEW	MK-CBK2	47
	MK-NCB75	48
	MK-CBA5	49
	MK-CB55	<i>50</i>
	MK-RB001	51
	MK-RB007	52
	MK-CBK1	<i>53</i>
	MK-RB015,MK-CB015,MK-RB009	
	MK-RB010,MK-RB011	54
	ACCESSORIES	<i>55-56</i>

OTHER

ARROWS	<i>57-60</i>
SLINGSHOTS	61-62
BATONS	63
SPECIFICATIONS	64-65





Check List:

V Personal equipment.

(V) Enjoy your hunting time.

weep in good mood.

Stay strong and healthy.

ME-XB63

200 LBS COMPOUND CROSSBOW

The draw weight is 200 LBS, it's very powerful and durable. The crossbow is one of our new products. It's easy to control and capture the goals. You will have a better shooting experience with it.











LENGTH : 32.8"





MK-PD2S





CAM SETS

CNC MACHINED CAMS

BARREL

COMPOSITE STOCK

ALUMINUM
SCOPE MOUNT
PICATINNY RAIL

FREAK



MIC-XB68 220 LBS COMPOUND CROSSBOW

This crossbow has a similar performance to the MK-XB65, but it is longer than the MK-XB65. It has a silent reel device, a string unwinding device, and a string reset function. It is a new product worth owning.







LENGTH : 35.93"



CAM SETS

CNC MACHINED CAMS

BARREL

CNC MACHINED

RISER

ALUMINUM

SCOPE MOUNT

PICATINNY RAIL



ME-XB70

215 LBS COMPOUND CROSSBOW

Compared with other bows, this MK-XB70 is smaller and lighter to use. It can adjust the length of the gun butt. It has a silent reel device, a string unwinding device, and a string reset function.















CAM SETS

CNC MACHINED CAMS

BARREL

CNC MACHINED

RISER

ALUMINUM

SCOPE MOUNT

PICATINNY RAIL



DIREWOLF



VIC-XB65 200 LBS COMPOUND CROSSBOW

The MK-XB65 is shorter than others. The speed is very fast, and the wide is narrow. We have a new invention of it, the foot pedal can be folded. It's very convenient to carry or storage. You will have a wonderful experience with the product.







LENGTH : 28.48"









CNC MACHINED CAMS BARREL

CNC MACHINED

RISER

ALUMINUM

SCOPE MOUNT

PICATINNY RAIL

MK-PD2

MK-PD2S

MK-CD2

MK-CD2S





MIC-XB62 185 LBS COMPOUND CROSSBOW

The MK-XB62 is very powerful and unique. This stock can be adjusted. Because of the function, the product become more humanize. Whenever, you can change the different style if you need.





LENGTH: 35.25"

CAM SETS

CNC MACHINED CAMS

RISER

ALUMINUM

SCOPE MOUNT

PICATINNY RAIL

STOCK

COMPOSITE STOCK / ADJUSTABLE STOCK







SPECIFICATIONS

395 FPS SPEED

185 LBS DRAW WEIGHT

7.64 LBS WEIGHT

14.5" POWER STROKE

35.25" LENGTH FOOTCLAW TO STOCK

AXLE TO AXLE *16.85*"

VIK-XB60 185 LBS COMPOUND CROSSBOW

The draw weight is 185 LBS, it's very powerful and durable. It's easy to control and capture the goals. You will have a better shooting experience with it.



LENGTH: 35.23".

CAM SETS CNC MACHINED CAMS RISER ALUMINUM STOCK COMPOSITE STOCK SCOPE MOUNT PICATINNY RAIL



VIK-XB58 200 LBS COMPOUND CROSSBOW

The MK-XB58 delivers 425 feet per second from a draw weight of only 200lb. The XB-58 is a light narrow crossbow with string stoppers, pistol grip, adjustable stock and fore grip. The picatiny rail can also accommodate added accessories such as bipods and torches.

PATENTED TRIGGER TECHNOLOGY-DRY FIRE-INHIBITOR 20"CARBON BOLT RECOMMENDED

SCOPE MOUNT **PICATINNY RAIL**

CAM SETS

CNC MACHINED CAMS

BARREL

CNC MACHINED

STOCK

COMPOSITE STOCK / ADJUSTABLE STOCK

AT 1211 AXLE-TO-AXLE (WHEN COCKED)

SPECIFICATIONS

SPEED

(370gr)

425 FPS

DRAW WEIGHT

200 LBS

WEIGHT

7.8 *LBS*

POWER STROKE

14.5"

LENGTH FOOTCLAW TO STOCK

36-38.78"

AXLE TO AXLE UNCOCKED/COCKED

15.75"/12"



25 FPS

MK-XB58FC FOREST CAMO

The XB-56 Frost Wolf is a light narrow crossbow with string stoppers, AR pistol grip, adjustable stock/cheek piece and fore grip.

The picatiny rail can also accommodate added accessories such as bipods and torches.

20"CARBON BOLT RECOMMENDED

SCOPE MOUNT **PICATINNY RAIL**

CAM SETS

CNC MACHINED CAMS

BARREL

CNC MACHINED

STOCK

COMPOSITE STOCK / ADJUSTABLE STOCK

PATENTED TRIGGER TECHNOLOGY-DRY FIRE-INHIBITOR

SPECIFICATIONS

385 FPS SPEED

185 LBS DRAW WEIGHT

7.5 *LBS* WEIGHT

POWER STROKE

35.25-38.5" LENGTH FOOTCLAW TO STOCK

18"/13.8" AXLE TO AXLE UNCOCKED/COCKED

14"







MK-XB56BK **BLACK**



MK-XB56FC **FOREST CAMO**

VIX-XB52 185 LBS COMPOUND CROSSBOW

The MK-XB52 is a light narrow crossbow with string stoppers, AR pistol grip, adjustable stock and fore grip which can be fitted anywhere along the full length picatiny rail. The picatiny rail can also accommodate added accessories such as bipods and torches. Fitted with the new style ball bearing bolt retainer eliminating accidental bolt retaining spring damage when cocking.



SPECIFICATIONS

SPEED

DRAW WEIGHT

WEIGHT

POWER STROKE

LENGTH FOOTCLAW TO STOCK

AXLE TO AXLE

SCOPE MOUNT **PICATINNY RAIL**

RISER

CNC MACHINED

CAM SETS

CNC MACHINED CAMS

BARREL

CNC MACHINED

STOCK

COMPOSITE STOCK / ADJUSTABLE STOCK

370 FPS

185 LBS

7.65 LBS

14"

36"

21.5"



MK-XB52BK **BLACK**



MK-XB52FC **FOREST CAMO**

370 FPS

3 175 LBS RECURVE CROSSBOW

The MK-XB27 is a professional and very powerful crossbow with a drawing weight of 175 lbs. This crossbow is very accurate even at long distances. The stock of this crossbow is adjustable in length.

ADJUSTABLE STOCK

16"(Ø9MM)ALUM. BOLT RECOMMENDED

SCOPE MOUNT **PICATINNY RAIL**

STOCK

COMPOSITE / ADJUSTABLE STOCK

SPECIFICATIONS

255 FPS SPEED

175 LBS DRAW WEIGHT

5.22 LBS WEIGHT

11" POWER STROKE

30.7-32.28" LENGTH FOOTCLAW TO STOCK

26" WIDTH

MK-XB27BK BLACK





MIC-XB23 175 LBS RECURVE CROSSBOW

MK-XB23 is equipped with a brand new 175 lbs bow that releases a speed on the arrows of 245 feet per second.

10.5"

33"

26"

PATENTED TRIGGER TECHNOLOGY-DRY FIRE-INHIBITOR

SCOPE MOUNT

PICATINNY RAIL

STOCK

COMPOSITE STOCK

SPECIFICATIONS

SPEED

DRAW WEIGHT

WEIGHT

POWER STROKE

LENGTH FOOTCLAW TO STOCK

WIDTH

MK-XB23BK **BLACK**

MK-XB23GODC **GOD CAMO**







245 FPS

175 LBS RECURVE CROSSBOW

MK-XB21 is equipped with a brand new 175 lbs bow that releases a speed on the arrows of 245 feet per second. The central structure is created on a perforated base to further reduce the weight of the crossbow.

SCOPE MOUNT **PICATINNY RAIL**

STOCK

COMPOSITE / ADJUSTABLE STOCK

SPECIFICATIONS

SPEED

245 FPS

DRAW WEIGHT

175 LBS

WEIGHT

4.6 LBS

POWER STROKE

10.5"

LENGTH FOOTCLAW TO STOCK

30.5"

WIDTH

26 "



MK-XB21BK BLACK



MK-XB21G0DC **GOD CAMO**





VIII - 185 LBS RECURVE CROSSBOW

New generation with stock completely made with innovative technopolymers that give it an unparalleled lightness. Internal structure completely in lightened aluminum alloy. Equipped with Anti Dry Fire system: it guarantees maximum safety by not allowing the trigger to release until the arrow is correctly inserted in the space provided.

X PATENTED TRIGGER TECHNOLOGY-DRY FIRE-INHIBITOR



LENGTH: 33.25" —

LIMB

BARREL

STOCK

FIBERGLASS LIMB ALUM.BARREL

PLASTIC STOCK

SPECIFICATIONS

SPEED

250 FPS

DRAW WEIGHT

185 LBS

WEIGHT

5.37 LBS

POWER STROKE

9.875"

LENGTH

33.25"

WIDTH

25.75"







VIC-150A1 150 LBS RECURVE CROSSBOW

16"(Ø9MM)ALUM. BOLT RECOMMENDED



MK-150A1

WOOD STOCK

SPECIFICATIONS

SPEED

210 FPS

DRAW WEIGHT

150 LBS

WEIGHT

5.61 LBS

POWER STROKE

10.5"

LENGTH FOOTCLAW TO STOCK 34"

26"

WIDTH

210 FPS

FIBERGLASS LIMB

ALUM.BARREL

BARREL

LIMB







SPECIFICATIONS

SPEED 210 FPS

DRAW WEIGHT 150 LBS

WEIGHT 5.61 LBS

POWER STROKE 10.5"

LENGTH FOOTCLAW TO STOCK 34"

WIDTH 26"

COMPOSITE STOCK

210 FPS

VIK-TCS1

80 LBS SELF COCKING CROSSBOW

BARREL

PLASTIC BARREL

LIMB

FIBERGLASS LIMB

SPECIFICATIONS

SPEED

DRAW WEIGHT

WEIGHT

POWER STROKE

LENGTH

WIDTH

185 FPS

80 LBS

1.98 LBS

6"

20"

16.5"



6.5" ALUM. BOLT RECOMMENDED







80 LBS SELF COCKING CROSSBOW

6.5" ALUM. BOLT RECOMMENDED



LIMB

FIBERGLASS LIMB

SPECIFICATIONS

SPEED

185 FPS

DRAW WEIGHT

80 LBS

WEIGHT

2.32 LBS

POWER STROKE

6"

LENGTH

22.05~24.4"

WIDTH

16.5"





MK-TCS2-BK BLACK



MK-TCS2-G GREEN

85 FPS

MK-50A1/5PL

***** 6.5" PLASTIC BOLT RECOMMENDED

SPECIFICATIONS

SPEED 150 FPS

DRAW WEIGHT 50 LBS

WEIGHT 0.88 LBS

POWER STROKE 5"

LENGTH 12.8"

WIDTH 16.5"

BARREL

PLASTIC BARREL

LIMB

METAL LIMB

MK-50A1/5PL

PLASTIC



50 LBS SMALL SIZE CROSSBOW

MK-50A2/5PL

*** 6.5" PLASTIC BOLT RECOMMENDED**

SPECIFICATIONS

SPEED 150 FPS

DRAW WEIGHT 50 LBS

WEIGHT 1.43 LBS

POWER STROKE 5"

LENGTH 12.8"

WIDTH 16.5"

BARREL

ALUM. BARREL

LIMB

METAL LIMB

MK-50A2/5PL

ALUMINUM



MK-80A4AL 80 LBS SELF COCKING CROSSBOW

*** 6.5" ALUM. BOLT RECOMMENDED**

SPECIFICATIONS

SPEED 160 FPS

DRAW WEIGHT 80 LBS

WEIGHT 1.98 LBS

POWER STROKE 6"

LENGTH 20"

WIDTH 16.5"

BARREL

ALUM.BARREL

LIMB

FIBERGLASS LIMB

MK-80A4AL
ALUMINUM



160 FPS

MK-80A4PL

80 LBS SELF COCKING CROSSBOW

***** 6.5" ALUM. BOLT RECOMMENDED

SPECIFICATIONS

SPEED 160 FPS

DRAW WEIGHT 80 LBS

WEIGHT 1.32 LBS

POWER STROKE 6"

LENGTH 20"

WIDTH 16.5"

BARREL

PLASTIC BARREL

LIMB

FIBERGLASS LIMB

MK-80A4PL

PLASTIC



FOR CROSSBOWS







Rail Lube / wax

MK-RS 3 Red dot sight scope

MK-SL Sling

MK-CS Cocking String





MK-SS Stringer for Recurve Crossbow

MK-4X32 4x32 Scope

4-Blade Broadhead (3 pcs / card)

MK-4BAL

MK-3BAL 3-Blade Broadhead

(3 pcs / card)









MK-PD2 Cranking device (MK-XB63, MK-XB65)

MK-CD1 Silent cranking device (MK-XB63, MK-XB65)

90% less effort

MK-CD2

Silent cranking device

(MK-XB65, MK-XB68)

90% less effort There is a reed inside, the rope will automatically and neatly roll into the shell.



MK-PD2S

Cranking device

(MK-XB63, MK-XB65, MK-XB70)



MK-CD1S

Silent cranking device (MK-XB63, MK-XB65, MK-XB70) 90% less effort




MK-CD2S

Silent cranking device

(MK-XB65, MK-XB70)

90% less effort There is a reed inside, the rope will automatically and neatly roll into the shell.





LIMB



MK-50B 50 LBS Metal bow for MK-50 series crossbow




MK-80B 80 LBS Fiberglass compression bow for MK-80 series crossbow



MK-150B 150 LBS Fiberglass compression bow for MK-150 series crossbow

MK-175B 160 LBS Fiberglass limb for MK-175 crossbow

MK-185B 185 LBS Fiberglass limb for MK-185 crossbow












MK-50S

MK-80S

MK-150S







String for MK-50 series crossbow

String for MK-80 series crossbow

String for MK-150, MK-120, MK-160 series crossbow

10 MK-175S

String for MK-175 MK-185 crossbow

2 MK-XB56C

Cable set for MK-XB56 crossbow (2 pcs / set)

3 MK-XB56S

String for MK-XB56 crossbow

6 ARROW



MK-250Q-AC
Autumn Camo



MK-250Q-GODC





MK-250Q-BK
Black



4 ARROW



MK-350Q-GC
Green Camo



MK-350Q-GODC

God Camo



MK-350Q-AC

Autumn Camo



MK-350Q-BK

Black





MIK-CBA7 70 LBS COMPOUND BOW NEW



RISER

ALUMINUM

LIMB

FIBERGLASS LIMB



SPECIFICATIONS

310 FPS SPEED

20-70 LBS DRAW WEIGHT

3.75 LBS WEIGHT

6.5" BRACE HEIGHT

16-30" DRAW LENGTH

30" AXLE TO AXLE



MK-CBA7BK

BLACK



MK-CBA7FC FOREST CAMO

310 FPS







M-CB60

60 LBS COMPOUND BOW NEW

RISER

ALUMINUM

LIMB

FIBERGLASS LIMB

70 % LET OFF

SPECIFICATIONS

290 FPS SPEED

10-60 LBS DRAW WEIGHT

3.39 LBS WEIGHT

6 1/4" BRACE HEIGHT

14-28" DRAW LENGTH

28" AXLE TO AXLE





290 FPS







MIC-CBK2 29 LBS COMPOUND BOW NEW

The shape is based on the characteristics of a hunting bow as a concept. It adopts a modern design to make the grip more stereoscopic. It will present a new look.

SPECIFICATIONS

29 LBS DRAW WEIGHT

BRACE HEIGHT *5.5*"

DRAW LENGTH *12-26*"

AXLE TO AXLE 28"







VICB75 70 LBS COMPOUND BOW

The MK-NCB75 is a very powerful compound bow with an adjustable drawing weight of 30 to 70 lbs and is able to shoot arrows with a velocity up to 275 fps.

SPECIFICATIONS

SPEED **275 FPS**

30-70 LBS DRAW WEIGHT

4.24 LBS WEIGHT

7.5" BRACE HEIGHT

25-31" DRAW LENGTH

AXLE TO AXLE *31*"

MK-NCB75BK BLACK

MK-NCB75G0DC GOD CAMO

75~80 % **LET OFF**

RISER

ALUMINUM

LIMB

FIBERGLASS LIMB

CAM SETS

CNC MACHINED CAMS

30"CARBON ARROW & 30"ALUMINUM ARROW RECOMMENDED

ZZE FPS



ME-CBA5

The MK-CBA5 is a very powerful compound bow with an adjustable drawing weight of 30 to 70 lbs and is able to shoot arrows with a velocity up to 300+ fps.

SPECIFICATIONS

 SPEED
 300+ FPS

 DRAW WEIGHT
 30-70 LBS

 WEIGHT
 3.85 LBS

BRACE HEIGHT 6.5"

DRAW LENGTH 19-31"

AXLE TO AXLE 30"

CAM SETS

CNC MACHINED CAMS


RISER

ALUMINUM









MIC-CB55 55 LBS COMPOUND BOW

70 %

LET OFF

SPECIFICATIONS

SPEED

DRAW WEIGHT

WEIGHT

BRACE HEIGHT

DRAW LENGTH

AXLE TO AXLE

220 FPS

40-55 LBS

4 LBS

7.5"

27-29"

41.5"

RISER

ALUMINUM

LIMB

FIBERGLASS LIMB

30"CARBON & ALUMINUM ARROW RECOMMENDED



MK-CB55B **BLACK**



MK-CB55GODC **GOD CAMO**

220 FPS



MK-RB001

40 LBS RECURVE BOW

SPECIFICATIONS

SPEED

170 FPS

DRAW WEIGHT

40 *LBS*

WEIGHT

3.6 LBS

BRACE HEIGHT

7.5"

DRAW LENGTH

28"

LENGTH

61"

RISER

ALUMINUM ALLOY RISER

LIMB

FIBERGLASS LIMB



MK-RB001BK

BLACK



MK-RB001 WHITE

30"CARBON & ALUMINUM ARROW RECOMMENDED

170 FPS





MC-RBOO7 20 LBS RECURVE BOW SET

SPECIFICATIONS

85 FPS SPEED

20 LBS DRAW WEIGHT

1.65 LBS WEIGHT

7.5" BRACE HEIGHT

24" DRAW LENGTH

46" LENGTH

RISER

PLASTIC

LIMB

PLASTIC













MIK-CBK1 25 LBS COMPOUND BOW



MK-CBK10 **ORANGE**



MK-CBK1G **GREEN**



MK-CBK1PI **PINK**



MK-CBK1 **BLACK**

SPECIFICATIONS

DRAW WEIGHT

19-25 LBS

BRACE HEIGHT

6"

DRAW LENGTH

19-20.5"

AXLE TO AXLE

25"





2

MK-CB015

12 LBS COMPOUND BOW SET

SPECIFICATIONS

75 FPS SPEED **12** LBS DRAW WEIGHT

24" DRAW LENGTH

34" AXLE TO AXLE

PLASTIC RISER

FIBERGLASS LIMB

SPECIFICATIONS SPEED

28" FIBERGLASS ARROW RECOMMENDED

26"8

30"FIBERGLASS ARROW RECOMMENDED

3

MK-RB009 65 FPS **80** FPS

MK-RB010 MK-RB011

85 FPS

60 %

LET OFF

MK-RB010 15 LBS RECURVE BOW

MK-RB011 15 LBS RECURVE BOW

10 LBS **15** *LBS* **15 LBS** DRAW WEIGHT **22**" 24" **28**" DRAW LENGTH *51*" *36*" 44" LENGTH **0.35LBS 0.63LBS 0.88LBS** WEIGHT





MK-AR
Arrow rest (2 pcs / Card)



MK-AR-NEW

Drop away arrow rest



MK-SR Stabilizer



MK-WS Wrist Sling



MK-RA
Adjustable release aid



MK-SIGHT
Sight with 3 pin



MK-BQ/BK

4-Arrow quiver for MK-CB009 /

MK-CB006 / MK-RB007 Bows



MK-BQ/AC

4-Arrow quiver for MK-CB009 /

MK-CB006 / MK-RB007 Bows




VANE-2.5"
2.5" vane for bolt (9 pcs / bag)




VANE-3,0"

3.0" vane for bolt(9 pcs / bag)







- 1 MK-CBC55 Cam + Cable wire for MK-CB55
- 2 MK-CBC75 Buss cable for MK-NCB75 (2 pcs / set)
- 3 MK-CBCA2 Buss cable for MK-CBA2 (2 pcs / set)

- MK-CBS55 String for MK-CB55
 MK-CBS75 String for MK-NCB75 (2 pcs / set)
 MK-CBSA2 String for MK-CBA2
- MK-RBS007 String for MK-RB007
 MK-RBS009 String for MK-RB009
- 6 MK-RBS010 String for MK-RB010
 - MK-RBS011 String for MK-RB011



CROSSBOW BOLT

	ITEM NO.	SPECS	PACKAGING
	MK-AL14-BK	2018-14" (Ø8mm) Black	
	MK-AL14-R	2018-14" (Ø8mm) Red	
	MK-AL16-BK	2219-16" (Ø9mm) Black	
	MK-AL16-R	2219-16" (Ø9mm) Red	
	MK-AL20-BK	2219-20" (Ø9mm) Black	
ALUMINUM	MK-AL20-R	2219-20" (Ø9mm) Red	
BOLT	MK-AL14/6BK	2018-14" (Ø8mm) Black	6 pcs / card
	MK-AL14/6R	2018-14" (Ø8mm) Red	6 pcs / card
	MK-AL16/6BK	2219-16" (Ø9mm) Black	6 pcs / card
	MK-AL16/6R	2219-16" (Ø9mm) Red	6 pcs / card
	MK-AL20/6BK	2219-20" (Ø9mm) Black	6 pcs / card
	MK-AL20/6R	2219-20" (Ø9mm) Red	6 pcs / card
CARBON	MK-CA20	20"	
	MK-CA22	22"	
BOLT	MK-CA20/6P	20"	6 pcs box pack
	MK-AL	6.5" Aluminum bolt	12 pcs / card
	MK-PL-Y	6.5" Plastic bolt Yellow	12 pcs / card
PISTAL	MK-PL-O	6.5" Plastic bolt Orange	12 pcs / card
CROSSBOW	MK-PL-BL	6.5" Plastic bolt Blue	12 pcs / card
	MK-PL-BK	6.5" Plastic bolt Black	12 pcs / card
	MK-PL-3C	6.5" Plastic bolt Assorted color	12 pcs / card




Carbon bolt has many advantages, they are strong, have increased resistance to deformation, and are durable.











CROSSBOW

BOLT

MK-CA20/6P ▲ 6 PCS BOX PACK



CARBON ARROW(28"

ARROW

1716)


ARROW

FIBERGLASS ARROW

FIBERGLASS ARROW



ALUMINUM ARROW



▲ 3 PCS / CARD

MINUM ARROW

Arrows MK-CA30 are created from modern high-tech materials, provide a good combination of lightness, speed, and power of fire.

ARCHERY BOW ARROW

	ITEM NO.	SPECS	PACKAGING
	MK-FA26	26" (Ø6.9mm)	
	MK-FA28	28" (Ø6.9mm)	
FIBERGLASS	MK-FA30	30" (Ø6.9mm)	
ARROW	MK-FA26-C	26"	3 pcs / card
	MK-FA28-C	28"	3 pcs / card
	MK-FA30-C	30"	3 pcs / card
	MK-AAL29	1916-29" (Ø7.6mm)	
	MK-AAL29-1716	1716-29" (Ø6.8mm)	
ALUMINUM	MK-AAL30	2018-30" (Ø8mm)	
	MK-AAL30-2219	2219-30" (Ø9mm)	
	MK-AAL30-2317	2317-30" (Ø9.2mm)	
	MK-AAL29-C	1916-29" (Ø7.6mm)	3 pcs / card
	MK-AAL30-C	2018-30" (Ø8mm)	3 pcs / card
CARBON	MK-CA28	28" (Ø7.5mm)	
ARROW	MK-CA30	30" (Ø7.5mm)	
	MK-CA30/6P	30"	6 pcs box pack

MK-CA30/6P
6 PCS BOX PACK



ARROW



MK-SL06

MK-SL06 is specially designed for sports and entertainment shooting. It is made of high-quality materials and has an improved design to fully enjoy the fun of shooting.

The ergonomic handle is equipped with a wrist stop, which allows you to hold the slingshot more smoothly for aiming.

The bullet launching with a handle mechanism can shoot quickly and comfortably.



MK-SL08

The MK-SL08 slingshot has a very comfortable grip shell and a hollow pistol grip. The ball used for shooting is poured into the handle.

SURE GRIP HANDLE
GENUINEL EATHER POUCH
ADJUSTABLE YOKE






RUBBER BAND

This is a replacement rubber band for high velocity slingshots.

This band is made to give you the distance and speed to hit those targets a long ways out.



BLUE





MK-TR-Y YELLOW



MK-TR-O ORANGE

STEEL AMMO

Steel balls with a diameter of 10 mm are used when shooting from slingshots. In one package 30 balls.







30 PCS/CARD


Our self-protection batons are the first-rate.

You will feel at ease carrying one of our batons for self-protection.

Baton is a heavy grade, hard steel.

They sling out with perfection every time, so they will be there when they are needed.

BATONS



MK-NS-16 16"BATON

MK-NS-21 21"BATON

MK-NS-26 26"BATON

FOAM HANDLE

MK-NS-16F 16"BATON MK-NS-26F 26"BATON

MK-NS-21F 21"BATON MK-NS-29F 29"BATON

MK-NS-32F 32"BATON

RUBBER HANDLE





LENGTH 21 INCHES

2024 CROSSBOW LINEUP

	SPEED	WEIGHT	DRAW WEIGHT POWER STROKE		LENGTH	WIDTH	AXLE TO AXLE uncocked / cocked
MK-XB63	420 (370gr)	7.9 lbs	200 lbs	14.25"	32.8"		15.75" / 12"
MK-XB68	430/445 (400/370gr)	9.5 lbs	220 lbs	15"	35.93"		12" / 8"
MK-XB70 NEW	400/415 (400/370gr)	8 lbs	215 lbs	12.5"	27.80 - 29.80"		10.5" / 6.75"
MK-XB65	425	8 lbs	200 lbs	15"	28.48"		13"/ 9"
MK-XB62	395	7.64 lbs	185 lbs	14.5"	35.25"		16.85"
MK-XB60	385+	7.53 lbs	185 lbs	13.85"	35.23"		18.75"
MK-XB58	425 (370gr)	7.8 lbs	200 lbs	14.5"	36 - 38.78"		15.75" / 12"
MK-XB56	385	7.5 lbs	185 lbs	14"	35.25 - 38.5"		18" / 13.8"
MK-XB52	370	7.65 lbs	185 lbs	14"	36"		21.5"
MK-XB27	255	5.22 lbs	175 lbs	11"	30.7 - 32.28"	26"	•
MK-XB23	245	4.95 lbs	175 lbs	10.5"	33"	26"	
MK-XB21	245	4.6 lbs	175 lbs	10.5"	30.5"	26"	÷
MK-185	250	5.37 lbs	185 lbs	9.875"	33.25"	25.75"	
MK-150A1	210	5.61 lbs	150 lbs	10.5"	34"	26"	
MK-TCS1	185	1.98 lbs	80 lbs	6"	20"	16.5"	
MK-TCS2	185	2.32 lbs	80 lbs	6"	22.05 - 24.4"	16.5"	
MK-50A1/5PL	150	0.88 lbs	50 lbs	5"	12 4/5"	16.5"	
MK-50A2/5PL	150	1.43 lbs	50 lbs	5"	12 4/5"	16.5"	•
MK-80A4AL	160	1.98 lbs	80 lbs	6"	20"	16.5"	*
MK-80A4PL	160	1.32 lbs	80 lbs	6"	20"	16.5"	

2024 ARCHERY BOW LINEUP

	SPEED	WEIGHT	DRAW WEIGHT	DRAW LENGTH	LENGTH	BRACE HEIGHT	AXLE TO AXLE	LET-OFF
MK-CBA7 NEW	310	3.75 lbs	20 - 70 lbs	16 - 30"		6.5"	30"	80%
MK-CB60 NEW	290	3.39 lbs	10 - 60 lbs	14 - 28"		6 1/4"	28"	70%
MK-CBK2 NEW	· ·		29 lbs	14 - 26"	•	5.5"	28"	
MK-NCB75	275	4.24 lbs	30 - 70 lbs	25 - 31"		7.5"	31"	75 - 80%
MK-CBA5	300+	3.85 lbs	30 - 70 lbs	19 - 31"		6.5"	30"	70 - 75%
MK-CB55	220	4 lbs	40 - 55 lbs	27 - 29"		7.5"	41.5"	70%
MK-RB001	170	3.6 lbs	40 lbs	28"	61"	7.5"		
MK-RB007	85	1.65 lbs	20 lbs	24"	46"	7.5"	•	
MK-CBK1	**	•	19 - 25 lbs	19 - 20.5"		6"	25"	
MK-RB015	80		18 lbs	24"	44"			
MK-CB015	75		12 lbs	24"			34"	60%
MK-RB009	65	0.35 lbs	10 lbs	22"	36"			
MK-RB010	80	0.63 lbs	15 lbs	24"	44"			
MK-RB011	85	0.88 lbs	15 lbs	28"	51"			

